



*Republic of the Philippines*  
**ZAMBOANGA CITY WATER DISTRICT**  
Pilar Street, Zamboanga City

**Addendum No. 2018-041**

This Addendum is issued to modify or amend the Bid Documents in view of the Pre-Bid Conference last **October 16, 2018**. This shall form an integral part of the Bid Documents. The Bids & Awards Committee hereby issues the following amendments, clarifications & updates:

PR No.	Item Description	Issues/Amendments/Updates/Clarifications for the particular Purchase Requisition		
		Item No.	Original Specifications	Revised Specification
18-0120	Supply & Delivery of 4x4 Pick-Up Vehicle for use by the Technical Services Group (TSG) & other related activities of the office	1	Supply & Delivery of 4 x 4 Pick-Up Vehicle with the ff. Specifications:	No changes
			Color: Any color	No changes
			Engine Series: Diesel, 4-Cylinder, 16-Valve, Direct Injection, In-Line, Variable Nozzle Turbo w/ InterCooler, Euro-IV Emission Compliant	No changes
			Engine & Wheel Drive Lay-Out: Front Mounted-Engine (Longitudinally) and Front & Rear Wheel Arrangement, Manual Transmission, 5-Speed Forward, 1-Reverse (6-Shift Moment min), Front Wheel Drive shall have a min of 2-Low & 4-High Shift Gears, 4x4 Auto Disconnect Differential	Engine & Wheel Drive Lay-Out: Front Mounted-Engine (Longitudinally) and Front & Rear Wheel Arrangement, Manual Transmission, 6-Speed Forward, 1-Reverse (6-Shift Moment min), Front Wheel Drive shall have a min of 2-Low & 4-High Shift Gears, 4x4 Auto Disconnect Differential
			Cabin Design: Drive Train, Conventional Twin/Double Cabin (Long Nose, Sloped Hood, LHD, Driver Seated Behind the Engine), and the Front Doors are Behind the Front Tires, Rear Tires are Behind the Rear Doors	No changes
			Displacement: 2,500 – 3,000 CC	Displacement: 2,200 – 3,000 CC
			Maximum Output (PS/RPM): 160-165/3,200-3,500	Maximum Output (PS/RPM): 140-165/3,200-3,500
			Maximum Torque (N.m/RPM): 340-345/1,400-3,300	Maximum Torque (N.m/RPM): 340-400/1,400-3,300
			Overall LxWxH (mm): 5,200-5,270x1,800-1,840x1,800-1,870	Overall LxWxH (mm): 5,200-5,400x1,800-1,860x1,800-1,870
			Wheel Base (mm): 3,070-3,090	No changes
			Brakes:  Front: Ventilated Discs  Rear: Leading-Trailing Drums	Front Brake: Single or Dual Piston Calipers and Ventilated Disc Brakes  Rear Brake: Single or Dual Piston Calipers and Ventilated, Solid Disc or Drum in Disc
			Tires (Size): 265/65 R17 7.5J or its equivalent	Tires (Size) :Manufacturer's specification
			Seating Capacity (Pax): 5 Pax Capacity	No changes
			Steering System: Rack & Pinion, Preferably with Collapsible Steering Column & Power Assist	No changes

PR No.	Item Description	Issues/Amendments/Updates/Clarifications for the particular Purchase Requisition									
		<table><tr><td>Suspension:</td><td>Suspension:</td></tr><tr><td>Front: Double WishBone w/ Coil Spring</td><td>Front: Double WishBone w/ Coil Spring</td></tr><tr><td>Rear: Rigid Axle, Leaf Spring</td><td>Rear: Rigid Axle, Leaf Spring or Manufacturer's Specifications</td></tr></table>	Suspension:	Suspension:	Front: Double WishBone w/ Coil Spring	Front: Double WishBone w/ Coil Spring	Rear: Rigid Axle, Leaf Spring	Rear: Rigid Axle, Leaf Spring or Manufacturer's Specifications			
Suspension:	Suspension:										
Front: Double WishBone w/ Coil Spring	Front: Double WishBone w/ Coil Spring										
Rear: Rigid Axle, Leaf Spring	Rear: Rigid Axle, Leaf Spring or Manufacturer's Specifications										
		<table><tr><td>AirCon: Standard Airconditioning System, Single, Manual</td><td>AirCon: Manufacturer's Specifications</td></tr></table>	AirCon: Standard Airconditioning System, Single, Manual	AirCon: Manufacturer's Specifications							
AirCon: Standard Airconditioning System, Single, Manual	AirCon: Manufacturer's Specifications										
		<table><tr><td>Audio System: Preferably w/ 6.0-6.5" LCD Display/DVD/Tuner/MP3 w/ Steering Wheel Audio Control, Bluetooth, USB &amp; Auxiliary Input, 4-6 Speakers System</td><td>Audio System: Manufacturer's Specifications</td></tr></table>	Audio System: Preferably w/ 6.0-6.5" LCD Display/DVD/Tuner/MP3 w/ Steering Wheel Audio Control, Bluetooth, USB & Auxiliary Input, 4-6 Speakers System	Audio System: Manufacturer's Specifications							
Audio System: Preferably w/ 6.0-6.5" LCD Display/DVD/Tuner/MP3 w/ Steering Wheel Audio Control, Bluetooth, USB & Auxiliary Input, 4-6 Speakers System	Audio System: Manufacturer's Specifications										
		<table><tr><td>Navigation: Equipped</td><td>For Deletion</td></tr></table>	Navigation: Equipped	For Deletion							
Navigation: Equipped	For Deletion										
		<table><tr><td>Safety: SRS Airbag for Driver &amp; Passenger, shall be Equipped w/ ABS, Seatbelts @ Front &amp; Rear, Vehicle Security System</td><td>No changes</td></tr></table>	Safety: SRS Airbag for Driver & Passenger, shall be Equipped w/ ABS, Seatbelts @ Front & Rear, Vehicle Security System	No changes							
Safety: SRS Airbag for Driver & Passenger, shall be Equipped w/ ABS, Seatbelts @ Front & Rear, Vehicle Security System	No changes										
		<table><tr><td>Function and Features: Wireless Door Lock, Multi Information Display, Accessory Power Outlet, Equipped w/ Key/Light On Warning</td><td>Function and Features: Manufacturer's Specifications</td></tr></table>	Function and Features: Wireless Door Lock, Multi Information Display, Accessory Power Outlet, Equipped w/ Key/Light On Warning	Function and Features: Manufacturer's Specifications							
Function and Features: Wireless Door Lock, Multi Information Display, Accessory Power Outlet, Equipped w/ Key/Light On Warning	Function and Features: Manufacturer's Specifications										
		<table><tr><td>Interior:</td><td>Interior:</td></tr><tr><td>a. Seats</td><td>a. Seats</td></tr><tr><td>(Front) Sliding/Reclining w/ Head Rests (2pcs) &amp; Driver Vertical Height Adjust</td><td>(Front) Sliding/Reclining w/ Head Rests (2pcs) &amp; Driver Vertical Height Adjust</td></tr><tr><td>(Rear) Bench Type, Tip-Up Function with Storage</td><td>(Rear) Bench Type (For Deletion Tip-up Function with Storage)</td></tr></table>	Interior:	Interior:	a. Seats	a. Seats	(Front) Sliding/Reclining w/ Head Rests (2pcs) & Driver Vertical Height Adjust	(Front) Sliding/Reclining w/ Head Rests (2pcs) & Driver Vertical Height Adjust	(Rear) Bench Type, Tip-Up Function with Storage	(Rear) Bench Type (For Deletion Tip-up Function with Storage)	
Interior:	Interior:										
a. Seats	a. Seats										
(Front) Sliding/Reclining w/ Head Rests (2pcs) & Driver Vertical Height Adjust	(Front) Sliding/Reclining w/ Head Rests (2pcs) & Driver Vertical Height Adjust										
(Rear) Bench Type, Tip-Up Function with Storage	(Rear) Bench Type (For Deletion Tip-up Function with Storage)										
		<table><tr><td>b. Inside Rear View Mirror: Day &amp; Night</td><td>No changes</td></tr></table>	b. Inside Rear View Mirror: Day & Night	No changes							
b. Inside Rear View Mirror: Day & Night	No changes										
		<table><tr><td>c. Console Box</td><td>No changes</td></tr></table>	c. Console Box	No changes							
c. Console Box	No changes										
		<table><tr><td>d. Sun Visor: Driver (w/ Ticket Holder) &amp; Passenger (w/ Vanity Mirror &amp; Lid)</td><td>d. Sun Visor: Driver : Manufacturer's Specifications</td></tr></table>	d. Sun Visor: Driver (w/ Ticket Holder) & Passenger (w/ Vanity Mirror & Lid)	d. Sun Visor: Driver : Manufacturer's Specifications							
d. Sun Visor: Driver (w/ Ticket Holder) & Passenger (w/ Vanity Mirror & Lid)	d. Sun Visor: Driver : Manufacturer's Specifications										
		<table><tr><td>e. Cup Holders/Bottle Holders: Panel (2 pcs) + Door Trim (2 pcs)</td><td>e. Cup Holders/Bottle Holders: Manufacturer's Specifications</td></tr></table>	e. Cup Holders/Bottle Holders: Panel (2 pcs) + Door Trim (2 pcs)	e. Cup Holders/Bottle Holders: Manufacturer's Specifications							
e. Cup Holders/Bottle Holders: Panel (2 pcs) + Door Trim (2 pcs)	e. Cup Holders/Bottle Holders: Manufacturer's Specifications										
		<table><tr><td>Additional Features:</td><td>No changes</td></tr><tr><td>a. Power Features and Safety: Window (Auto Up/Down), Door Lock &amp; Outside Rear View Mirror, w/ Seatbelts in: Front-3 pt ELRx2, Rear-3 pt ELRx2 + 2 pt NR x 1; Equipped w/ Child Protector Lock, with High Mount Stop Lamp (Tailgate Integrated), w/ Side Door Impact Beams</td><td></td></tr></table>	Additional Features:	No changes	a. Power Features and Safety: Window (Auto Up/Down), Door Lock & Outside Rear View Mirror, w/ Seatbelts in: Front-3 pt ELRx2, Rear-3 pt ELRx2 + 2 pt NR x 1; Equipped w/ Child Protector Lock, with High Mount Stop Lamp (Tailgate Integrated), w/ Side Door Impact Beams						
Additional Features:	No changes										
a. Power Features and Safety: Window (Auto Up/Down), Door Lock & Outside Rear View Mirror, w/ Seatbelts in: Front-3 pt ELRx2, Rear-3 pt ELRx2 + 2 pt NR x 1; Equipped w/ Child Protector Lock, with High Mount Stop Lamp (Tailgate Integrated), w/ Side Door Impact Beams											
		<table><tr><td>Exterior:</td><td>No changes</td></tr><tr><td>a. Head &amp; Front Fog Lamps: with Multi-Reflector Halogen &amp; Front Fog Lamps</td><td></td></tr></table>	Exterior:	No changes	a. Head & Front Fog Lamps: with Multi-Reflector Halogen & Front Fog Lamps						
Exterior:	No changes										
a. Head & Front Fog Lamps: with Multi-Reflector Halogen & Front Fog Lamps											
		<table><tr><td>b. Front Grille: Color w/ Chrome</td><td>b. Front Grille: Manufacturer's Specifications</td></tr></table>	b. Front Grille: Color w/ Chrome	b. Front Grille: Manufacturer's Specifications							
b. Front Grille: Color w/ Chrome	b. Front Grille: Manufacturer's Specifications										
		<table><tr><td>c. Overfenders: Color-Keyed</td><td>No changes</td></tr></table>	c. Overfenders: Color-Keyed	No changes							
c. Overfenders: Color-Keyed	No changes										
		<table><tr><td>d. Door Outside Handle: Chrome</td><td>d. Door Outside Handle: Manufacturer's Specifications</td></tr></table>	d. Door Outside Handle: Chrome	d. Door Outside Handle: Manufacturer's Specifications							
d. Door Outside Handle: Chrome	d. Door Outside Handle: Manufacturer's Specifications										
		<table><tr><td>e. Outside Rear View Mirror: Chrome w/ Side Turn Signal Lamp</td><td>e. Outside Rear View Mirror: Manufacturer's Specifications</td></tr></table>	e. Outside Rear View Mirror: Chrome w/ Side Turn Signal Lamp	e. Outside Rear View Mirror: Manufacturer's Specifications							
e. Outside Rear View Mirror: Chrome w/ Side Turn Signal Lamp	e. Outside Rear View Mirror: Manufacturer's Specifications										
		<table><tr><td>f. Antenna: Short Pole</td><td>No changes</td></tr></table>	f. Antenna: Short Pole	No changes							
f. Antenna: Short Pole	No changes										
		<table><tr><td>g. Side Step: with Side Step</td><td>For Deletion</td></tr></table>	g. Side Step: with Side Step	For Deletion							
g. Side Step: with Side Step	For Deletion										



PR No.	Item Description	Issues/Amendments/Updates/Clarifications for the particular Purchase Requisition	
		NOTE:	
		a. Waranty Coverage – 3 years (Basic Warranty Coverage) – Supplier warrants that it will ever repair or replace any supplied component part (limited thereto) that is found defective in material under normal use within a period of 36 months or 100,000 Kilometers, whichever comes first.	No changes
		b. Free Matting, Tint (Visor), Seat Cover	No changes
		c. Basic Tools for the Unit	No changes
		d. After Sales – Free Labor on the first 1,000 & 5,000 Kilometers Check-up	No changes
		e. All vehicles with GSIS Comprehensive Insurance, LTO Registration (3) Years & Must be Registered in the name of ZCWD (Red Plate)	The unit must be registered in the name of ZCWD (Red Plate) as contained in the O.R./C.R with GSIS Comprehensive Insurance. The physical Red Plate will be delivered to the Procuring Entity upon issuance by the Land Transportation Office (LTO).
		f. Items mentioned above shall include Freight on Board, TPL, RustProofing, Travel Permit and Accessories	No changes
		Period of Delivery: 120 calendar days upon receipt of PO/NTP	No changes
		Point of Delivery: TOEMD/PMMD Office, ZCWD Motorpool Compound, Pasonanca, ZC	Point of Delivery at the option of the Procuring Entity: <ul style="list-style-type: none"> <li>• TOEMD/PMMD Office, ZCWD Motorpool Compound, Pasonanca, ZC</li> <li>• Pick-Up at Zamboanga Dealership Showroom</li> </ul>

Issues/Amendments/Updates/Clarifications to the Bidding Documents for all Purchase Requisitions stated in this Addendum	
➤	Please refer to <b>GPPB Resolution No. 26-2017</b> regarding Deferment of the implementation of the mandatory submission of Philippine Government Electronic Procurement System (PhilGEPS) Certificate of Registration and Membership in Competitive Bidding
➤	As per Section 25.2. of the 2016 Revised IRR of RA 9184, the first envelope shall contain the following technical information/documents, at the least: <div> a) For the procurement of Goods: <div> i) PhilGEPS Certificate of Registration and membership in accordance with Section 8.5.2 of this IRR, except for foreign bidders participating in the procurement by a Philippine Foreign Service Office or Post, which shall submit their eligibility documents under Section 23.1 of this IRR: Provided , That the winning bidder shall register with the PhilGEPS in accordance with Section 37.1.4 of this IRR. ii) Statement of all Ongoing Government and Private Contracts; iii) Statement of SLCC; iv) NFCC Computation or committed Line of Credit; v) JVA or the Duly Notarized Statement in accordance with Section 23.1(b) of this IRR, if applicable; vi) Bid security in the prescribed form, amount and validity period; vii) Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales service/parts, if applicable; viii) Omnibus Sworn Statement in accordance with Section 25.3 of this IRR; and ix) For foreign bidders claiming eligibility by reason of their country’s extension of reciprocal rights to Filipinos, a certification from the relevant government office of their country stating that Filipinos are allowed to participate in their government procurement activities for the same item or product. </div> </div>
➤	As per Section 25.4. of the 2016 Revised IRR of RA 9184, The second envelope shall contain the financial information/documents as specified in the PBDs.
➤	BAC shall adhere to the 2016 Revised IRR of RA 9184 and any discrepancies in the Instruction to Bidders, the 2016 Revised IRR of RA 9184 will prevail.
➤	Clarification(s) on any part of the Bidding Documents or for an interpretation must be in writing and submitted to the Procuring Entity at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.
➤	All forms of bid security are acceptable however if the Bidder opts to submit a Surety Bond it must be callable on demand and must be accompanied by (1) Certificate of Authority from the Insurance Commission authorizing the Insurance/Finance Company to issue such bond and (2) another Certification for the surety bond from the Insurance Commission for bidding purpose of the specific project. A new form of bid security which is Bid Securing Declaration is acceptable, pursuant to GPPB Resolution No. 03-2012 dated January 27, 2012.

**Issues/Amendments/Updates/Clarifications to the Bidding Documents for all Purchase Requisitions stated in this Addendum**

- Proper tabbing of bid documents must be observed by the bidders.
- The bidders are advised to observe the Bid Prices found in the ITB Clause 15.
- The bidders are advised to observe the Format and Signing of Bids found in the ITB Clause 19.
- The bidders are advised to observe the Sealing and Marking of Bids found in the ITB Clause 20.

For guidance and information of all concerned.

  
**MICHAEL ANGELO M. CARBON**  
Chairperson  
Bids and Awards Committee

Posting date: October 23, 2018  
Posted in the Phil-GEPS, ZCWD Website & Bid Bulletin