

Republic of the Philippiness ZAMBOANGA CITY WATER DISTRICT

Pilar Street, Zamboanga City

PHILIPPINE BIDDING DOCUMENTS

Procurement of GOODS

Government of the Republic of the Philippines

PR No. 23-0103 – Supply & Delivery of Water Meter – Single Jet & Multi-Jet for use in newtapping and to be carried in stock

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Sectio	on I. Invitation to Bid	7
Sectio	on II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	13
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	15
13.	Bid and Payment Currencies	16
14.	Bid Security	16
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	17
17.	Opening and Preliminary Examination of Bids	17
18.	Domestic Preference	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	18
21.	Signing of the Contract	19
Sectio	on III. Bid Data Sheet	20
Sectio	on IV. General Conditions of Contract	22
1.	Scope of Contract	23
2.	Advance Payment and Terms of Payment	23
3.	Performance Security	23
4.	Inspection and Tests	24
5.	Warranty	24
6.	Liability of the Supplier	24
Sectio	on V. Special Conditions of Contract	25
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

 $\mathbf{EXW} - \mathbf{Ex}$ works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines ZAMBOANGA CITY WATER DISTRICT

Pilar Street, Zamboanga City

INVITATION TO BID FOR

Supply & Delivery of Water Meter – Single Jet & Multi-Jet for use in newtapping and to be carried in stock

- 1. The **Zamboanga City Water District**, through the *Corporate Budget for the Contract Approved by the Board for year 2023* intends to apply the sum of **Six Million Seven Hundred Ninety-Four Thousand Fifty Pesos (P 6,794,050.00)** being the ABC to payments under the contract for *Purchase Requisition No.* **23-0103**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The **Zamboanga City Water District** now invites bids for the above Procurement Project. Delivery of the Goods is required by 60 calendar days upon receipt of Notice to Proceed. Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from **Zamboanga City Water District** and inspect the Bidding Documents at the address given below during **office hours from 8:00 am to 5:00 pm**.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *May*16, 2023 from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand Pesos (P 10,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees and it will be presented in person, by facsimile, or through electronic means.

Payment for the applicable fee for the Bidding Documents may be deposited in our **ZCWD BID DOCUMENTS PAYMENT ACCOUNT**:

Bank: LANDBANK OF THE PHILIPPINES (LBP)

Account Name: ZAMBOANGA CITY WATER DISTRICT

Account Number: 0191-3826-84

Account Type: SAVINGS

Bank Branch: LBP Main Branch, LANDBANK Building F. Marcos cor.

Valderosa Sts., Pettit Barracks, Zamboanga City

Thereafter, send a screenshot or scanned copy of the DEPOSIT/CONFIRMATION SLIP to our email address, <u>bac@zcwd.gov.ph</u>, on or before the deadline for the submission of bids.

6. The **Zamboanga City Water District** will hold a Pre-Bid Conference¹ on **May 23, 2023** at **2pm** at the *Office of the Bids and Awards Committee (BAC), 3rd floor, ZCWD Bldg., Pilar St., Zamboanga City* and/or through video conferencing or webcasting *via* **Google Meet**, which shall be open to prospective bidders.

Please refer to the link below for the scheduled Meeting:

Pre-Bid Conference for PR Nos. 23-0091 & 23-0103 Tuesday, May 23 · 2:00 – 5:00pm

Google Meet joining info

Video call link: https://meet.google.com/dbr-gkvi-ysa

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before 2:00 pm on June 6, 2023. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on *June 6, 2023* at 2pm at the given address below at the *Office of the Bids and Awards Committee (BAC), 3rd floor, ZCWD Bldg., Pilar St., Zamboanga City* and/or via *Google Meet*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Please refer to the link below for the scheduled Meeting:

Bid Opening for PR Nos. 23-0091 & 23-0103

Tuesday, June $6 \cdot 2:00 - 5:00$ pm

Google Meet joining info

Video call link: https://meet.google.com/azy-vhwe-pkv

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

- 10. [Insert such other necessary information deemed relevant by the Procuring Entity such as the use of a back-up data or cloud storage for large files uploaded for online bid submissions]
- 11. The **Zamboanga City Water District** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

Atty. Vincent F. Fernandez
Chairperson, Bids & Awards Committee
Zamboanga City Water District
ZCWD Bldg., Pilar St., Zamboanga City, 7000
zcwdbacsec.jen@zcwd.gov.ph/zcwdbacsec.jeanette@zcwd.gov.ph
Telefax No. (062) 991-6185
www.zcwd.gov.ph

13. You may visit the following websites:

For downloading of Bidding Documents: www.zcwd.gov.ph; www.philgeps.gov.ph

[If applicable] For online bid submission: [Indicate website]

May 16, 2023
[Date of Issue]

Bids & Awards Committee

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Zamboanga City Water District wishes to receive Bids for the Supply & Delivery of Water Meter – Single Jet & Multi-Jet for use in newtapping and to be carried in stock, with identification number Purchase Requisition No. 23-0103.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *Two (2) items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for Corporate

 Budget for the Contract Approved by the Board for year 2023 in the
 amount of Six Million Seven Hundred Ninety-Four Thousand Fifty

 Pesos (P 6,794,050.00).
- 2.2. The source of funding is:
 - a. GOCC and GFIs, the proposed Corporate Operating Budget.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2.
- Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
- b. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. Not applicable.
- 7.3. Not applicable.
- 7.4. Not applicable.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address on *May 23, 2023 at 2pm* at the *Office of the Bids and Awards Committee (BAC), 3rd floor, ZCWD Bldg., Pilar St., Zamboanga City* and/or through video conferencing/webcasting *via Google Meet* as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *five* (5) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.
- 11.5. [Include if Framework Agreement will be used:] Financial proposals for single or multi-year Framework Agreement shall be submitted before the deadline of submission of bids as prescribed in the **IB**. For multi-year Framework Agreement, evaluation of the financial proposal during this stage is for purposes of determining eligibility and whether or not such financial proposal is within the ABC.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.
- 12.2. [Include if Framework Agreement will be used:] For Framework Agreement, the following should also apply in addition to Clause 12.1:
 - a. For a single year Framework Agreement, the prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.
 - b. For a multi-year Framework Agreement, the prices quoted by the Bidder during submission of eligibility documents shall be the ceiling and the price quoted during mini-competition must not exceed the initial price offer. The

price quoted during call for mini-competition shall be fixed during the Bidder's performance of that Call-off and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:

a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until until 120 calendar days from date of the Opening of Bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 14.3. [Include if Framework Agreement will be used:] In the case of Framework Agreement, other than the grounds for forfeiture under the 2016 revised IRR, the bid security may also be forfeited if the successful bidder fails to sign the Framework Agreement, or fails to furnish the performance security or performance securing declaration. Without prejudice on its forfeiture, bid securities shall be returned only after the posting of performance security or performance securing declaration, as the case may be, by the winning Bidder or compliant Bidders and the signing of the Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.
- 16.2. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, the submission of bids shall be for the initial evaluation of their technical and financial eligibility. Thereafter, those declared eligible during the said initial eligibility evaluation and entered into a Framework Agreement with the Procuring Entity shall submit anew their best financial offer at the address and on or before the date and time indicated in the Call for each minicompetition.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.
- 18.2. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, determination of margin of preference shall be conducted every call for Mini-Competition.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

[Include the following options if Framework Agreement will be used:]

- a. In the case of single-year Framework Agreement, the Lowest Calculated Bid shall be determined outright after the detailed evaluation;
- b. For multi-year Framework Agreement, the determination of the eligibility and the compliance of bidders with the technical and financial aspects of the projects shall be initially made by the BAC, in accordance with Item 7.4.2 of the Guidelines on the Use of Framework Agreement.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. [Include if Framework Agreement will be used:] For multi-year Framework Agreement, all bidders initially determined to be eligible and financially compliant shall be subject to initial post-qualification. The BAC shall then recommend the execution of a Framework Agreement among all eligible, technically and financially compliant bidders and the Procuring Entity and shall be issued by HoPE a Notice to Execute Framework Agreement. The determination of the Lowest Calculated Bid (LCB) shall not be performed by the BAC until a Mini-Competition is conducted among the bidders who executed a Framework Agreement. When a Call for Mini-Competition is made, the BAC shall allow the bidders to submit their best financial proposals on such pre-scheduled date, time and place to determine the bidder with the LCB.
- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, {[Include if Framework Agreement will be used:] or in the case of multi-year Framework Agreement, that it is one of the eligible bidders who have submitted bids that are found to be technically and financially compliant,}the Bidder shall submit its latest income and business tax returns filed and paid through the BIR

Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**. {[Include if Framework Agreement will be used:] For every mini-competition in Framework Agreement, the LCB shall likewise submit the required documents for final Post Qualification.}

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

[Include the following clauses if Framework Agreement will be used:]

- 21.2. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Framework Agreement Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 21.3. Within ten (10) calendar days from receipt of the Notice to Execute Framework Agreement with the Procuring Entity, the successful Bidder or its duly authorized representative shall formally enter into a Framework Agreement with the procuring entity for an amount of One Peso to be paid to the procuring entity as a consideration for the option granted by the procuring entity to procure the items in the Framework Agreement List when the need arises.
- 21.4. The Procuring Entity shall enter into a Framework Agreement with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 21.5. The following documents shall form part of the Framework Agreement:
 - a. Framework Agreement Form;
 - b. Bidding Documents;
 - c. Call-offs;
 - d. Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
 - e. Performance Security or Performance Securing Declaration, as the case may be;
 - f. Notice to Execute Framework Agreement; and
 - g. Other contract documents that may be required by existing laws and/or specified in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	 a. Water Meter. b. completed within <i>five (5) years</i> prior to the deadline for the submission and receipt of bids.
7.1	[Specify the portions of Goods to be subcontracted, which shall not be a significant or material component of the Project as determined by the Procuring Entity.] Not applicable.
12	The price of the Goods shall be quoted DDP Project Site or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than 2% of ABC [One Hundred Thirty-Five Thousand Eight Hundred Eighty-One Pesos (P 135,881.00)], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than 5% of ABC [Three Hundred Thirty-Nine Thousand Seven Hundred Two Pesos and 50/100 (P 339,702.50)], if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.] [In case the project will be awarded by item, list each item indicating its quantity and ABC.] Not applicable.
20.2	[List here any licenses and permits relevant to the Project and the corresponding law requiring it.] Not applicable.
21.2	[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.] Not applicable.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

[Include the following clauses if Framework Agreement will be used:]

- 2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- 2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. [Include if Framework Agreement will be used:] In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.]

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project {[Include if Framework Agreement will be used:] or Framework Agreement} specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section VII (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

-	Special Conditions of Contract					
GCC Clause						
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted amended, or retained depending on its applicability to this Contract:]					
	Delivery and Documents –					
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:					
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP to ZCWD Property Section, Motorpool, Pasonanca, Zamboanga City. In accordance with INCOTERMS."					
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered DDP to ZCWD Property Section, Motorpool, Pasonanca, Zamboanga City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."					
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).					
For purposes of this Clause the Procuring Entity's Representative Site is <i>Oliver John W. Nuevo</i> .						
	Incidental Services –					
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: NOT APPLICABLE					
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.					
	Spare Parts –					
	The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: NOT APPLICABLE					

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of <u>3 years</u>.

Spare parts or components shall be supplied as promptly as possible, but in any case, within (NOT APPLICABLE) months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights –

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2

"Item 8 states: Subject to the conditions of this PO, the Certificate of Acceptance of goods/requirement/service shall be issued by ZCWD upon complete delivery/ performance. By then, the Performance Security shall also be released by ZCWD, provided, that there are no claims filed against the Supplier/Contractor or the surety company."

The obligation for the warranty shall be covered by either retention money in an amount equivalent to one percent (1%) of every progress payment, or a special bank guarantee equivalent to one percent (1%) of the total contract price. The said amounts shall only be released after the lapse of the warranty period or, in the case of Expendable Supplies, after consumption thereof: Provided, however, That the supplies delivered are free from patent and latent defects and all the conditions imposed under the contract have been fully met.

The inspections and tests that will be conducted are:

1. Initially, 10% of the total number of delivered water meters will be randomly selected for bench testing to determine the accuracy of the water meters and if the results are within the acceptable testing standards.

- 2. The report generated from the 10% tested water meters will be the basis to issue the Receiving Report for the entire water meters delivered, as long as the accuracy results of the 10% water meters are within the acceptable testing standard for the processing of payment.
- 3. The remaining 90% water meters will also be subjected to bench testing at the Water Meter Laboratory Shop.
- 4. All water meters which did not meet the acceptable testing standard or are found to be non-functioning and/or defective shall be replaced by the supplier at the supplier's expense.
- 5. If more than 10% of the contracted quantity of the water meters tested failed, the contract may be terminated by the procuring entity and endorsed it to the Contract Termination and Review Committee.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	Water Meter (13mm - 15mm) Single Jet	2,279 pcs.		
	Technical Specifications for One Half Inch Single-Jet Water Meters:			
	Designed for the measurement of cold potable water			
	1. Standard: ISO 4064:1993 or latest			
	2. Nominal Diameter: 13mm or 15mm			
	3. Meter Type: Single Jet			
	4. Metrological Class: "B" or its equivalent to latest edition			
	5. Meter Body:			
	Copper alloy containing not less than 75% copper or a copper alloy containing not less than			
	57% copper but with anti- corrosion treatment.			
	- Testing result of copper content			
	from any government authorized			
	material testing laboratory like			
	DOST, MIRDC or any authorized			
	government agency or from any			
	DOST-accredited laboratory shall			
	be submitted to ZCWD during Post-Qualification			
	6. Register:			
	- With magnetic ring/shield			
	- Meter Register in Cubic Meters			
	- Cubic Meters in registration –			
	minimum of 4 digit			
	- Straight Reading			
	7. Working Condition:			
	- Maximum Working Pressure: 10			
	bars or 1.0Mpa			
	- Maximum Working/Liquid			
	Temperature: 30°C or Higher 8. Metrological Characteristics			
	(Minimum Performance):			
	- Maximum flowrate (Qmax/Q4)			
	= 2.0m3/hr. or higher; Allowance			
	error in accuracy ±2%			
	- Nominal flowrate (Qn/Q3) =			
	1.0m3/hr. or higher; Allowance			
	error in accuracy ±2%			

r		1	
	I flowrate (Qt/Q2) =		
_	ower; Allowance		
error in accu			
- Minimum f	lowrate (Qmin/Q1) =		
30 l/hr. or lo	wer; Allowance error		
in accuracy ±	:5%		
9. Meter and	l corresponding		
Tailpiece len	gth ranges:		
Water Met	ter Length per		
Length	Tail Piece		
115mm	100mm		
165mm	75mm		
190mm	63mm		
	Seal: Meter body		
	operly sealed		
	With plastic strainer		
installed	Name having a 2.2.		
	Numbering: Meter		
	ould be in series,		
	nd permanently		
engraved			
	: All water meters		
I -	ted with acrylic Tahiti		
_	ser shade acceptable		
to the end-us	ser) automotive paint		
with proper	ly primed surface of		
compatible p	paint primer.		
14. Meter Bo	ody Markings:		
- Meter Size			
- Flow Direct	ion (arrow)		
15. Packagin	g:		
	eters shall have		
plastic end c	ap installed on both		
meter body	•		
	meter shall be		
	idually in a small box		
-	ntain 2 tailpieces and		
rubber gaske	-		
_	neters shall be		
	or 20's per batch		
	icate the meter		
	ers on the box.		
16. Other red			
	samples complete		
	es and gaskets with		
-	_		
_	esult from Manila		
	submitted by the		
	er during post-		
-	which shall form		
part of the d	=		
	or brand and model		
	ters that have not		
	esting from Manila		
	s results have not		
been submit	ted to this Office).		

	T	T	ı	
	-One unit cut away sample to be			
	submitted by the lowest bidder			
	during post-qualification.			
	(Applicable for brand and model			
	of water meters that have not			
	been submitted to this Office.)			
2	Water Meter (13mm – 15mm)	1,000 pcs.		
	Multi Jet	1,000 pcs.		
	Technical Specifications for One			
	Half Inch Water Meters:			
	Designed for the measurement			
	of cold potable water			
	1. Standard: ISO 4064:1993 or			
	latest			
	2. Nominal Diameter: 13mm or			
	15mm			
	3. Meter Type: Multi-jet			
	4. Metrological Class: "B" or its			
	equivalent to latest edition			
	5. Meter Body:			
	Copper alloy containing not less			
	than 75% copper or a copper			
	alloy containing not less than			
	57% copper but with anti-			
	corrosion treatment.			
	- Testing result of copper content			
	from any government authorized			
	material testing laboratory like			
	DOST, MIRDC or any authorized			
	government agency or from any			
	DOST-accredited laboratory shall			
	be submitted to ZCWD during			
	Post-Qualification			
	6. Register:			
	- Hermetically vacuum sealed or			
	Hermetically sealed register			
	- High impact lens and abrasion			
	resistant			
	- With magnetic ring/shield			
	- Meter Register in Cubic Meters			
	- Cubic Meters in registration –			
	minimum of 4 digit			
	- Straight Reading			
	7. Working Condition:			
	- Maximum Working Pressure: 10			
	bars or higher			
	- Maximum Working/Liquid			
	Temperature: 30°C or Higher			
	8. Metrological Characteristics			
	(Minimum Performance):			
	- Maximum flowrate (Qmax/Q4)			
	= 2.0m3/hr. or higher; Allowance			
	error in accuracy ±2%			
	- Nominal flowrate (Qn/Q3) =			
	1.0m3/hr. or higher; Allowance			
	error in accuracy ±2%			
				

1		1	T	T
- Transitional flov				
120 l/hr. or lower; Allowance				
error in accuracy				
- Minimum flowr				
30 l/hr. or lower;				
error in accuracy				
9. Meter and corr	esponding			
Tailpiece length r	anges:			
Water Meter	Length per			
Length	Tail Piece			
115mm	100mm			
165mm	75mm			
190mm	63mm			
10. Meter Seal: M	leter body			
should be proper	•			
11. Strainer: With	-			
installed				
12. Serial Numbe	ring: Meter			
numbers should l	•			
clearly and perma				
engraved				
13. Painting: All v	vater meters			
shall be painted v				
Tahiti blue (or clo	-			
acceptable to the				
automotive paint	-			
primed surface of compatible paint primer.				
14. Meter Body N	Markings:			
- Meter Size				
- Flow Direction (arrow)			
15. Packaging:				
- All water meter	s shall have			
plastic end cap in				
meter body threa				
- Each water met				
packed individua				
and must contain				
rubber gaskets				
- The water mete	rs shall be			
packed by 10's or				
and shall indicate	=			
serial numbers or				
16. Other require				
-Five (5) unit sam				
with tail pieces a	•			
the testing result	_			
Water to be subn				
lowest bidder du	-			
qualification which				
part of the delive				
(Applicable for bi	-			
of water meters				
undergone testin				
Water and its res	_			
been submitted t				
 שבבוו שמשווווננפט נ	o ans onicej.		<u> </u>	1

-One unit cut away sample to be
submitted by the lowest bidder
during post-qualification.
(Applicable for brand and model
of water meters that have not
been submitted to this Office.)
Delivery Period: 60 calendar days
upon receipt of NTP
Point of Delivery: ZCWD Property
Section, Motorpool, Pasonanca,
z.c.

Framework Agreement List

Limited to repeatedly required goods and services that are identified to be necessary and desirable, but, by its nature, use or characteristic, the quantity and/ or exact time of need cannot be accurately pre-determined and are not advisable to be carried in stock.

Prepared by the End-User, attached to the APP and submitted to the BAC for the approval of the HOPE.

FRAMEWORK AGREEMENT LIST (AGENCY)						
Item / Service Type and nature of each item/service	Cost per item or Max service		cimum Quantity	Total Cost per Item		
TOTAL (Approved Budget for the Contract)						
Expected delivery timeframe after receipt of a Call-Off.	Within [no. of days] ca	lendar d	ays upon issuance o	of Call-off.		
Remarks	Indicate here any other appropriate information as may be necessary.					
SIGNATURE OVER PRINTED NAME	POSITION		DEPARTMENT	T/DIVISION		

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1	2,279 pcs. Water Meter (13mm – 15mm) Single Jet	
	Technical Specifications for One Half Inch Single-Jet Water Meters:	
	Designed for the measurement of cold potable water	
	1. Standard: ISO 4064:1993 or latest	
	2. Nominal Diameter: 13mm or 15mm	
	3. Meter Type: Single Jet	
	4. Metrological Class: "B" or its	
	equivalent to latest edition 5. Meter Body:	
	Copper alloy containing not less than	
	75% copper or a copper alloy	
	containing not less than 57% copper	
	but with anti-corrosion treatment.	
	- Testing result of copper content from any government authorized material	
	testing laboratory like DOST, MIRDC or	

 T	
any authorized government agency or	
from any DOST-accredited laboratory	
shall be submitted to ZCWD during	
Post-Qualification	
6. Register:	
- With magnetic ring/shield	
- Meter Register in Cubic Meters	
- Cubic Meters in registration –	
minimum of 4 digit	
- Straight Reading	
7. Working Condition:	
- Maximum Working Pressure: 10 bars	
or 1.0Mpa	
- Maximum Working/Liquid	
Temperature: 30°C or Higher	
8. Metrological Characteristics	
(Minimum Performance):	
- Maximum flowrate (Qmax/Q4) =	
2.0m3/hr. or higher; Allowance error	
in accuracy ±2%	
- Nominal flowrate (Qn/Q3) =	
1.0m3/hr. or higher; Allowance error	
in accuracy ±2%	
- Transitional flowrate (Qt/Q2) = 120	
I/hr. or lower; Allowance error in	
accuracy ±2%	
- Minimum flowrate (Qmin/Q1) = 30	
I/hr. or lower; Allowance error in	
accuracy ±5%	
9. Meter and corresponding Tailpiece	
length ranges:	
Water Meter Length per	
Length Tail Piece	
115mm 100mm	
165mm 75mm	
190mm 63mm	
10. Meter Seal: Meter body should be	
properly sealed	
11. Strainer: With plastic strainer	
installed	
12. Serial Numbering: Meter numbers	
should be in series, clearly and	
permanently engraved	
13. Painting: All water meters shall be	
painted with acrylic Tahiti blue (or	
closer shade acceptable to the end-	
user) automotive paint with properly	
primed surface of compatible paint	
primer.	
14. Meter Body Markings:	
- Meter Size	
- Flow Direction (arrow)	
15. Packaging:	
- All water meters shall have plastic	
end cap installed on both meter body	
thread ends	

- Each water meter shall be packed individually in a small box and must contain 2 tailpieces and rubber gaskets - The water meters shall be packed by 10's or 20's per batch and shall indicate the meter serial numbers on the box. 16. Other requirements: -Five (5) unit samples complete with tail pieces and gaskets with the testing result from Manila Water to be submitted by the lowest bidder during post- qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office)One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office). 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to 2CWD during Post-Qualification 6. Register: - Hermetically sealed register - High impact lens and abrasion		T	
contain 2 talipieces and rubber gaskets - The water meters shall be packed by 10's or 20's per batch and shall indicate the meter serial numbers on the box. 16. Other requirements: - Five (5) unit samples complete with tail pieces and gaskets with the testing result from Manila Water to be submitted by the lowest bidder during post-qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office)One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm — 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "8" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically sealed register - High impact lens and abrasion		=	
- The water meters shall be packed by 10's or 20's per batch and shall indicate the meter serial numbers on the box. 16. Other requirements: - Five (5) unit samples complete with tail pieces and gaskets with the testing result from Manila Water to be submitted by the lowest bidder during post- qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water to be submitted by the lowest bidder during post-qualification. Office) One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any ODST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically sealed register - Help impact lens and abrasion			
10's or 20's per batch and shall indicate the meter serial numbers on the box. 16. Other requirements: -Five (5) unit samples complete with tail pieces and gaskets with the testing result from Manila Water to be submitted by the lowest bidder during post- qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: 150 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to 2CWD during Post-Qualification 6. Register: - Hermetically sealed register - High impact lens and abrasion			
indicate the meter serial numbers on the box. 16. Other requirements: -Five (5) unit samples complete with tail pieces and gaskets with the testing result from Manila Water to be submitted by the lowest bidder during post- qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office)One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office). 2 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Nulti-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		-	
the box. 16. Other requirements: -Five (5) unit samples complete with tail pieces and gaskets with the testing result from Manila Water to be submitted by the lowest bidder during post- qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office). -One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 2 1,000 pcs. Water Meter (13mm — 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		1 · · · · · · · · · · · · · · · · · · ·	
16. Other requirements: -Five (5) unit samples complete with tail pieces and gaskets with the testing result from Manila Water to be submitted by the lowest bidder during post- qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office)One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically sealed register - High impact lens and abrasion		indicate the meter serial numbers on	
-Five (5) unit samples complete with tail pieces and gaskets with the testing result from Manila Water to be submitted by the lowest bidder during post- qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office). -One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office). 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "6" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCVD during Post-Qualification 6. Register: - Hermetically sealed register - High impact lens and abrasion		the box.	
tail pieces and gaskets with the testing result from Manila Water to be submitted by the lowest bidder during post- qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office). -One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "8" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		16. Other requirements:	
result from Manila Water to be submitted by the lowest bidder during post- qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office)One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 2 1,000 pcs. Water Meter (13mm — 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		-Five (5) unit samples complete with	
submitted by the lowest bidder during post- qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office). -One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 2 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "8" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically sealed register - High impact lens and abrasion		tail pieces and gaskets with the testing	
post-qualification which shall form part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office). -One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "8" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically sealed register - High impact lens and abrasion		result from Manila Water to be	
part of the delivery. (Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office). One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		submitted by the lowest bidder during	
(Applicable for brand and model of water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office). One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically sealed register - High impact lens and abrasion		post- qualification which shall form	
water meters that have not undergone testing from Manila Water and its results have not been submitted to this Office). -One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically sealed register - High impact lens and abrasion		part of the delivery.	
testing from Manila Water and its results have not been submitted to this Office). One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		(Applicable for brand and model of	
results have not been submitted to this Offfice). One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper or a copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		water meters that have not undergone	
Office). -One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 2 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		testing from Manila Water and its	
-One unit cut away sample to be submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		results have not been submitted to this	
submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		Office).	
submitted by the lowest bidder during post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		-One unit cut away sample to be	
post-qualification. (Applicable for brand and model of water meters that have not been submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		= =	
(Applicable for brand and model of water meters that have not been submitted to this Office.) 2 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion			
submitted to this Office.) 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper alloy containing not less than 57% copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		(Applicable for brand and model of	
2 1,000 pcs. Water Meter (13mm – 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper alloy containing not less than 75% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		water meters that have not been	
2 15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		submitted to this Office.)	
15mm) Multi Jet Technical Specifications for One Half Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		1,000 pcs. Water Meter (13mm –	
Inch Water Meters: Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion	2	15mm) Multi Jet	
Designed for the measurement of cold potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		Technical Specifications for One Half	
potable water 1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper alloy containing not less than 57% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		Inch Water Meters:	
1. Standard: ISO 4064:1993 or latest 2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		Designed for the measurement of cold	
2. Nominal Diameter: 13mm or 15mm 3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		potable water	
3. Meter Type: Multi-jet 4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper alloy containing not less than containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		1. Standard: ISO 4064:1993 or latest	
4. Metrological Class: "B" or its equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		2. Nominal Diameter: 13mm or 15mm	
equivalent to latest edition 5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		3. Meter Type: Multi-jet	
5. Meter Body: Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		4. Metrological Class: "B" or its	
Copper alloy containing not less than 75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		equivalent to latest edition	
75% copper or a copper alloy containing not less than 57% copper but with anti-corrosion treatment Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		-	
containing not less than 57% copper but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion			
but with anti-corrosion treatment. - Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion			
- Testing result of copper content from any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion			
any government authorized material testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		but with anti-corrosion treatment.	
testing laboratory like DOST, MIRDC or any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		- Testing result of copper content from	
any authorized government agency or from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion			
from any DOST-accredited laboratory shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		testing laboratory like DOST, MIRDC or	
shall be submitted to ZCWD during Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion			
Post-Qualification 6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		from any DOST-accredited laboratory	
6. Register: - Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		shall be submitted to ZCWD during	
- Hermetically vacuum sealed or Hermetically sealed register - High impact lens and abrasion		Post-Qualification	
Hermetically sealed register - High impact lens and abrasion		6. Register:	
- High impact lens and abrasion		- Hermetically vacuum sealed or	
		Hermetically sealed register	
1		- High impact lens and abrasion	
		resistant	
- With magnetic ring/shield			
- Meter Register in Cubic Meters		- Meter Register in Cubic Meters	

	- Cubic Meters in				
	minimum of 4 dig				
	- Straight Reading				
	7. Working Condition:				
	- Maximum Working Pressure: 10 bars				
	or higher				
	- Maximum Working/Liquid				
	Temperature: 30°C or Higher				
	8. Metrological C	haracteristics			
	(Minimum Perfor	rmance):			
	- Maximum flowr	rate (Qmax/Q4) =			
	2.0m3/hr. or high	ner; Allowance err	or		
	in accuracy ±2%	•			
	- Nominal flowra	te (Qn/Q3) =			
		ner; Allowance err	or		
	in accuracy ±2%	,			
		wrate (Qt/Q2) = 12	0		
	I/hr. or lower; All				
	accuracy ±2%	owance error m			
	_	ate (Qmin/Q1) = 3	n		
	I/hr. or lower; All		•		
	-	iowance error in			
	accuracy ±5%				
		responding Tailpie	ce		
	length ranges:				
	Water Meter	Length per			
	Length	Tail Piece			
	115mm	100mm			
	165mm	75mm			
	190mm	63mm			
	10. Meter Seal: N	leter body should	be		
	properly sealed				
	11. Strainer: With	n plastic strainer			
	installed	•			
	12. Serial Numbe	ring: Meter numb	ers		
	should be in serie	_			
	permanently eng	=			
		vater meters shall	he		
	_	vater meters snam vlic Tahiti blue (or			
		eptable to the end			
		paint with prope			
	•	f compatible paint	-		
		i compande pam			
	primer.	Andrings.			
	14. Meter Body N	/larkings:			
	- Meter Size				
	- Flow Direction (arrow)				
	15. Packaging: - All water meters shall have plastic end cap installed on both meter body thread ends - Each water meter shall be packed individually in a small box and must contain 2 tailpieces and rubber gaskets - The water meters shall be packed by				
			dy		
			t		
			kets		
			by		
	10's or 20's per b	-			
	indicate the mete		on		
		or serial mannacis			

16. Other requirements:	
-Five (5) unit samples complete with	
tail pieces and gaskets with the testing	
result from Manila Water to be	
submitted by the lowest bidder during	
post- qualification which shall form	
part of the delivery.	
(Applicable for brand and model of	
water meters that have not undergone	
testing from Manila Water and its	
results have not been submitted to this	
Office).	
-One unit cut away sample to be	
submitted by the lowest bidder during	
post-qualification. (Applicable for	
brand and model of water meters that	
have not been submitted to this	
Office.)	

Technical Specifications

	TECHNICAL SPECIFICATIONS		
Item / Service	Maximum Quantity	Technical Specifications / Scope of Work	Statement of Compliance
			[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents Legal Documents \Box (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR: **Technical Documents** □ (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and Statement of the bidder's Single Largest Completed Contract (SLCC) similar П (c) to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and Original copy of Bid Security. If in the form of a Surety Bond, submit also a \Box (d) certification issued by the Insurance Commission or Original copy of Notarized Bid Securing Declaration; and Conformity with the Technical Specifications, which may include □ (e) production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; and Original duly signed Omnibus Sworn Statement (OSS) and if applicable, \Box (f) Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. Financial Documents The prospective bidder's computation of Net Financial Contracting Capacity \square (g) (NFCC) or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation. Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint \Box (h) venture is already in existence or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- Original of duly signed and accomplished Financial Bid Form; and \Box (i) Original of duly signed and accomplished Price Schedule(s). (j)

Other documentary requirements under RA No. 9184 (as applicable)

[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in

	government procurement activities for the same item or product.
(1)	Certification from the DTI if the Bidder claims preference as a Domestic
	Bidder or Domestic Entity.

