## **ZAMBOANGA CITY WATER DISTRICT**

REQUEST QUOTATION FORM EMERGENCY CASES (Sec 53.2)

 Zamboanga City
 Date prepared
 : 09/19/2024

 Tel. No. (062) 991-1556-57
 PR No.: 24-0192
 Dated: 07/25/2024

| SUPPLIER:       |  |
|-----------------|--|
| ADDRESS:        |  |
| CONTACT PERSON: |  |
| CONTACT NUMBER: |  |

Please submit your quotation to the Zamboanga City Water District on or before **2:00 P.M.** <u>September 24, 2024</u>

Upon receipt of the Purchase Order, you are requested to deliver the item(s) quoted to the ZCWD Property Section at Pasonanca or to the delivery point specified in the Purchase Order. Penalties may be imposed for delays in the delivery beyond the delivery period and your company may be excluded from participating in future biddings. *Pls. REFER TO THE ATTACHED "INSTRUCTION TO BIDDERS"* for your guidance.

| TEM<br>NO. | DESCRIPTION/SPECIFICATION  | QTY | UNIT | UNIT PRICE | BRAND & MODE<br>OFFERED |
|------------|--|-----|------|------------|-------------------------|
|            | Supply of Brand New:   |     |      |            | OTTERED                 |
| 1          | 5HP Submersible Pump/Motor   | 1   | set  |            |                         |
|            | Specifications:  | _   | 300  |            |                         |
|            | (a) 5Hp, single phase, 230VAC, 60Hz, 17Amps, SF; 1.15,               |     |      |            |                         |
|            | 19.55Amax, 3450rpm   |     |      |            |                         |
|            | (b) 100mm diameter with motor leads.                                 |     |      |            |                         |
|            | (c) with 1 roll Electrical & Rubber Tape & 1 pack high quality       |     |      |            |                         |
|            | splicing kit (resin type).   |     |      |            |                         |
|            | Pump Specifications:   |     |      |            |                         |
|            | (a) 3" NPT or its equivalent Riser Pipe Connection, Head: 45m-       |     |      |            |                         |
|            | 48m,   |     |      |            |                         |
|            | (b) Q; 18 m³/hr – 20m³/hr capacity                                   |     |      |            |                         |
|            | (c) All in Stainless Steel construction; Bowl, impellers & Shafting. |     |      |            |                         |
|            | (d) Complete w/ cable guard, suction strainer                        |     |      |            |                         |
|            | (e) Built-in check valve. Four (4) stages w/ four (4)                |     |      |            |                         |
|            | 10mmØ x 38mm SS bolt with lock washer, 3450rpm                       |     |      |            |                         |
|            | Control box:   |     |      |            |                         |
|            | (a) DIRECT ON-LINE MOTOR CONTROLLER for Submersible motor            |     |      |            |                         |
|            | 5HP, 1 phase, 230Vac with well and tank sensor.                      |     |      |            |                         |
| 2          | 60Hp Submersible Pump/Motor  | 1   | set  |            |                         |
|            | Motor specifications:  |     |      |            |                         |
|            | (a) 3-Phase, 460VAC, 60Hz, 86Amps, SF;1.15, 98.90Amax, 3450rpm       |     |      |            |                         |
|            | (b) 192mm diameter w/ four (4) 16mmØ x 50mm SS bolt w/ lock          |     |      |            |                         |
|            | washer.  |     |      |            |                         |
|            | (c) Complete with motor leads  |     |      |            |                         |
|            | (d) with 1 roll Electrical & Rubber Tape & 1 pack high quality       |     |      |            |                         |
|            | splicing kit (resin type)  |     |      |            |                         |
|            | Pump Specifications:   |     |      |            |                         |
|            | (a) Rp6 Connection. Head: 90mm-98.0m                                 |     |      |            |                         |
|            | (b) Q: 100m <sup>3</sup> /hr – 130m <sup>3</sup> /hr capacity        |     |      |            |                         |
|            | (c) All in Stainless Steel Bowl impeller & shafting.                 |     |      |            |                         |
|            | (d) Complete w/ cable guard, suction strainer                        |     |      |            |                         |
|            | (e) Built-in check valve, five (5) stages w/ four (4) 12mmØ x 38mm   |     |      |            |                         |
|            | SSbolt with lock waher, 3450rpm                                      |     |      |            |                         |

I have the honor to submit our quotation for the above–specified item of which we have on stock except as specified.

| SUPPLIER/REPRESENTATIVE    | DATED |
|----------------------------|-------|
| (Printed Name & Signature) |       |

## NOTE:

- 1. Register your bids to the BAC Secretariat before dropping the bid in the bidding box.
- 2. Delivery Period: <u>7-14 Calendar days upon receipt of P.O./NTP.</u>
- 3. Warranty Period: 1 Year for Non-Expendable supplies after acceptance by the procuring entity.
- 4. Price Validity: 120 C.D.
- 5. If applicable, the BAC may require the bidder to submit un-amended sales literature, brochure, shop drawing or samples. Non-submission of which may be a ground for disqualification. In case the bidder failed to submit the aforementioned requirements, then the product being offered by the winning bidder shall be subjected to inspection pursuant to RA 9184 and its IRR and Government Procurement Manual (GPM Vol. 2) and pertinent COA regulations on technical inspection and acceptance procedures by the procuring entity's authorized inspectors.
- 6. Payment Terms: NO COD
- 7. All erasure must be initialed to avoid disqualification.
- 8. Delivery Point: <u>Property Section, ZCWD Motorpool, Pasonanca, Z.C.</u>
- 9. Approved Budget Cost (ABC): P 1,096,500.00
- 10. The bidder is required to submit within 3 calendar days from the date of the bid opening the following requirements:

  Mayor's/Business Permit, Income/Business Tax Return and Omnibus Sworn Statement. Failure to submit the

- required documents within the time frame may be a ground for disqualification. The bidder may also submit these documents together with its Request for Quotation (RFQ).
- 11. In case where an occurrence of a tie among bidders, BAC shall conduct drawing of lots in accordance with GPPB Circular 06-2005 dated August 05, 2005 and Appendix 11 of the 2016 RIRR of R.A. 9184.
- 12. All items must be quoted otherwise the bid shall be incomplete and non-complying.
- 13. For Bidding Results, please call BAC Secretariat at this number 991-1556 local 8127 and look for Aaron Mas a day after the scheduled Bid Opening. You may also send us an e-mail at this address: <a href="mailto:bac@zcwd.gov.ph">bac@zcwd.gov.ph</a>. Failure on your part to communicate with us will be taken as a waiver to be informed of the result.
- 14. Open quotations may be submitted, manually or through facsimile or email at the following: Fax nos. (062) 9550754/9927831 or Email Address: <a href="mailto:bac@zcwd.gov.ph">bac@zcwd.gov.ph</a>
- 15. For NEGOTIATED PROCUREMENT-SMALL VALUE PROCUREMENT requiring Omnibus Sworn Statement, please submit original copy.

| REMARKS/ ADDITIONAL INFORMATION |                 |  |  |  |  |
|---------------------------------|-----------------|--|--|--|--|
| Prepared by:                    | Distributed by: |  |  |  |  |